

309m *Westfield Centrepoint Tower*

**300+**  
metre long  
lighting circuits

243m *Chifley Tower*

240m *Deutsche Bank*

65m *Opera House*

**GVA** LIGHTING



MORE INFORMATION

Arclite: [www.arclite.com.au](http://www.arclite.com.au)

+61 2 9369 1411

[arclite@arclite.com.au](mailto:arclite@arclite.com.au)

# Arclite

light for architecture

## Product Specification

## HIGHLIGHTER



### HIGHLIGHTER® HL-DL

Round & Flat Diffusers  
New Niche Version



HL-DL Round Diffuser

HL-DL Flat Diffuser

HL-DL-N Niche

### HIGHLIGHTER® HL-Cove

Cove string in the tray



New HL-Cove module with Optics

Mounting Track | Adjustable Cove Brackets



### HIGHLIGHTER® HL-DL


Direct view architectural delineation LED lighting system

**Features:**


- Up to 4000 cd/m<sup>2</sup> luminance on diffuser surface
- Round diffuser: 50mm diameter
- Flat diffuser: 46mm wide x 20mm high
- Diffuser profiles: UV stable and impact resistant PMMA (acrylic), no yellowing over time
- Architectural grade anodized aluminum mounting profile, no visible fasteners

**Options:**

- Non-standard diffuser lengths
- Black or white diffuser trim
- Rear ext. cables



HL-300 Single Module



HL-1200 String of 4 Modules



### HIGHLIGHTER® HL-Cove


Architectural Cove Modular LED lighting system

**Features:**

- Up to 1500lm/m or 450lm/ft
- Adjustable aim mounting brackets: 0-90° in 10° increments for precise control of lighting effect
- Mounting tracks for easy luminaire alignment
- Small fixture size: 37mm/1.4" high, 55mm/2.1" wide



**Options:**

- HL-COVE Tray: mounting system with integrated glare control valance
- Outdoor cove mounting profile
- Fixed cove mounting profile
- Adjustable brackets for HL-Cove
- 15°, 30°, 60° optics (FWHM, under development)



## STR9 RGBW POWER


### STR9® RGBW






## FL™ FAMILY

The all new FL™ luminaire series from GVA Lighting is a high performance, highly flexible and compact line of spot and flood lights available in 0W, DMX, AC and ELV input variants. Fully compatible with one another as well as the CITOP™ linear luminaire product series, the FL™ comes in RGBW, linear using IMU, RGBW Color Mixing (OM) and Monochromatic LED color options.



FL100™ RGBW-OM (5°)

FL100™ RGBW-IM (10°)



INFINITY COLOR-AMP CE

COLOR-AMP

# COLOR-AMP®

GVA TECHNOLOGY

## Up To 3X Higher Lumen Output

COLOR-AMP®  
Technology  
1618lm @100%

Industry Standard  
Approach  
564lm @100%



41 - STR9® RGBW


110 - FL100™ RGBW-IM

## HIGHLIGHTER<sup>®</sup> SERIES

The Highlighter<sup>®</sup> HL-DL system consists of:

- LED Modules
- Aluminum Mounting Profile
- Diffuser (Round or Flat)
- Power-Data Equipment


LED modules are connected end-to-end and snapped into the aluminum mounting profile, which is securely fastened to the mounting surface. The impact resistant, UV stable acrylic diffuser is installed over the modules and secured by flexible shim. The Power-Data Equipment supplies power and control data to the modules.



### Indicative budget pricing

Average Highlighter per meter price based on 48m (40x1.2) run 3000k		Price + GST	\$900
Average Highlighter per meter price based on 48m (40x1.2) run RGB			\$1,100

## HIGHLIGHTER<sup>®</sup> HL-COVE



Average HL Cove per meter price based on 48m (40x1.2) run				\$800
---	--	--	--	-------



Average STR9 per meter price based on 48m (40x1.2) run				\$1,500
Average STR9 RGBW per meter price based on 48m (40x1.2) run				\$1,800

### MORE INFORMATION

Arclite: [www.arclite.com.au](http://www.arclite.com.au)

+61 2 9369 1411

[arclite@arclite.com.au](mailto:arclite@arclite.com.au)